DAKOTACARE

Health Care Claim Status Request and Response (276/277) Standard Companion Guide

Refers to the Implementation Guides Based on ASC X12 version 005010

Version 1.2 June 2015

Preface

This Companion Guide to the ASC X12N/005010X212 Health Care Claim Status Request and Response (276/277) Implementation Guides and associated errata adopted under HIPAA clarifies and specifies the data content when exchanging claim status data electronically with DAKOTACARE. Transmissions based on this companion guide, used in tandem with the ASC X12N/005010X212 Technical Report Type 3 (TR3) Implementation Guides published by Washington Publishing Company, are compliant with both ASC X12 syntax and those guides.

This Companion Guide is intended to convey information that is within the framework of the ASC X12N/005010X212 Implementation Guides adopted for use under HIPAA. This Companion Guide is not intended to convey information that in any way exceeds the requirements or usages of data expressed in the Implementation Guides.

Table Of Contents

1	INTRODUCTION	4
	Scope	4
	Overview	4
	References	4
	Additional Information	4
2	GETTING STARTED	4
	Working With DAKOTACARE	4
	Trading Partner Registration	4
	Certification And Testing Overview	4
3	TESTING WITH DAKOTACARE	5
4	CONNECTIVITY WITH THE PAYER/COMMUNICATIONS	5
	Process Flows	5
	Transmission Administrative Procedures	5
	Re-Transmission Procedure	5
	Communication Protocol Specifications	6
	Passwords	6
	System Availability	6
	Rules of Behavior	6
5	CONTACT INFORMATION	7
	EDI Customer Service and Technical Assistance	7
	Provider Service Number	7
	Applicable Websites/Email	7
6	CONTROL SEGMENTS/ENVELOPES	7
	ISA-IEA	7
	GS-GE	
	ST-SE	8
7	PAYER SPECIFIC BUSINESS RULES AND LIMITATIONS	
	General Information	8
8	ACKNOWLEDGEMENTS AND/OR REPORTS	8
	277 Health Care Claim Status Response	8
	999 Acknowledgement	9
9	TRADING PARTNER AGREEMENTS	9
10	TRANSACTION SPECIFIC INFORMATION	9
API	PENDICES	10
	Implementation Checklist	10
	Obtaining Public Key Certificates	10

1 INTRODUCTION

SCOPE

This Companion Guide describes the Claim Status Request and Response transaction between DAKOTACARE and authorized Trading Partners using the ASC X12N/005010X212 version of the Health Care Claim Status Request and Response (276/277) transaction set, as defined in the ASC X12 Standards for Electronic Data Interchange Technical Report Type 3 Implementation Guides published by Washington Publishing Company (WPC).

OVERVIEW

DAKOTACARE's Claim Status Request and Response system provides access to claim status data in a real-time environment. Trading Partners may make a real-time claim status request regarding the status of previously submitted claims. The Trading Partner transmits a 276 request through pre-established mechanism and remains connected while DAKOTACARE processes the 276 request and returns a 277 response.

REFERENCES

The ASC X12 Standards for Electronic Data Interchange Technical Report Type 3 Implementation Guides for the Health Care Claim Status Request and Response (276/277) ASC X12N/005010X212 transaction can be purchased from the publisher, Washington Publishing Company (WPC), at their website: http://www.wpc-edi.com.

ADDITIONAL INFORMATION

DAKOTACARE is committed to maintaining the integrity and security of health care data in accordance with applicable laws and regulations.

DAKOTACARE follows the real-time transaction model with a single response per request. Batch mode is not supported.

DAKOTACARE monitors claim status transactions and may contact Trading Partners regarding repeated errors in submitted inquiries, improper use of the system, or for other reasons. DAKOTACARE expects that Trading Partners will initiate contact when they are experiencing issues with the system or when they have other concerns.

2 GETTING STARTED

WORKING WITH DAKOTACARE

The DAKOTACARE IT Department's EDI Specialists are available to assist potential and current Trading Partners at edi@dakotacare.com.

TRADING PARTNER REGISTRATION

Trading Partner Registration is required to submit an claim status request to DAKOTACARE's claim status system. Please contact the DAKOTACARE IT Department's EDI Specialists to get started at edi@dakotacare.com.

CERTIFICATION AND TESTING OVERVIEW

DAKOTACARE requires that Trading Partners submit test transactions to ensure X12 compliance and verify interoperability between our systems. Trading Partners should contact the DAKOTACARE IT Department's EDI Specialists at edi@dakotacare.com to coordinate testing.

3 TESTING WITH DAKOTACARE

DAKOTACARE requires that all Trading Partners work with the DAKOTACARE IT Department's EDI Specialists to perform testing prior to sending production transactions. Testing ensures that all systems involved perform as expected.

Trading partners should send all test transactions with a Usage Indicator (ISA15) of "T" until testing is complete. A Usage Indicator (ISA15) of "P" should be used after testing is complete and the Trading Partner is instructed to do so by DAKOTACARE.

4 CONNECTIVITY WITH THE PAYER/COMMUNICATIONS

PROCESS FLOWS



TRANSMISSION ADMINISTRATIVE PROCEDURES

DAKOTACARE only supports real-time Claim Status Request transactions than contain a single member request per transmission. Consequently, each submission should be limited to the following:

- One Interchange Envelope (ISA-IEA)
- One Functional Group (GS-GE)
- One Transaction Set (ST-SE)
- One Subscriber Level Segment (2000D)
- One Claim Status Tracking Number Segment (2200D)

DAKOTACARE will respond to Claim Status Requests with one of the following:

- An appropriate SOAP or HTTP MIME error if there is an error.
- A 999 transaction for Implementation Guide and syntactic errors in the 276 request.
- A 277 response.

RE-TRANSMISSION PROCEDURE

If a Trading Partner does not receive a response to a Claim Status Request within 60 seconds, the Trading Partner should not send a duplicate transaction for 90 seconds after

the original request was sent. The Trading Partner should submit no more than 5 duplicate transactions within the next 15 minutes.

COMMUNICATION PROTOCOL SPECIFICATIONS

DAKOTACARE offers the following protocols with SSL encryption:

- SOAP + WSDL with a custom envelope
- SOAP + WSDL with a CORE compliant envelope
- HTTP MIME Multipart with a CORE compliant envelope

For all envelopes, the following applies:

- Batch mode is not supported.
- URLs for connectivity will be provided during trading partner set up with DAKOTACARE.

For all CORE compliant envelopes, the following applies:

- The CORE Rule Version is 2.2.0
- The real time request and response message structures for both SOAP and HTTP Mime Multipart follow the formats documented in the Phase II CORE 270: Connectivity Rule.

For CORE compliant SOAP + WSDL envelopes, the following applies:

- When sending or receiving payloads which contain non-printable characters, e.g., separator characters in an ASC X12 Interchange payload or in a non-ASC X12 Interchange payload in Real time using SOAP, the payload must be Base64 encoded.
- If a Base64 encoded payload is received, DAKOTACARE will return a Base64 encoded response.

PASSWORDS

DAKOTACARE will work with Trading Partners during the testing phase to establish a username and password. The Trading Partner should use DAKOTACARE's EDI Connect Website to manage their password.

DAKOTACARE enforces the following password policy:

- 1. The password must be changed every 90 days.
- 2. The password must not match the previous 10 passwords.
- 3. The password cannot contain the username.
- 4. The password must contain characters from three of the following categories:
 - a. Uppercase characters.
 - b. Lowercase characters.
 - c. Base 10 digits (0 through 9)
 - d. Non-alphanumeric characters: ~!@#\$%^&*_-+=`|\(){}[]:;"'<>,.?/

SYSTEM AVAILABILITY

System availability information can be found on the EDI Website at https://connect.dakotacare.com/Downtime.aspx

RULES OF BEHAVIOR

Trading partners must abide by the following rules of behavior:

- Trading partners must not deliberately submit files that contain viruses or other malicious code.
- Trading partners must not use the DAKOTACARE claim status service for any reason other than its intended use.

5 CONTACT INFORMATION

EDI CUSTOMER SERVICE AND TECHNICAL ASSISTANCE

The DAKOTACARE IT Department's EDI Specialists provide customer support and technical assistance to Trading Partners for all aspects of the EDI transactions from the initial Trading Partner agreement to the production use of the transaction.

The EDI Specialists can be reached as follows:

- Via email at edi@dakotacare.com
- Via phone at 800-325-5598

PROVIDER SERVICE NUMBER

Providers may contact DAKOTACARE's Customer Service with questions concerning claim status or the payment of claims via phone at 800-325-5598.

APPLICABLE WEBSITES/EMAIL

EDI Email: edi@dakotacare.comEDI Website: connect.dakotacare.com

6 CONTROL SEGMENTS/ENVELOPES

DAKOTACARE follows the ASC X12 Standards for Electronic Data Interchange Technical Report Type 3 Implementation Guides for the Health Care Claim Status Request and Response (276/277) ASC X12N/005010X212 transaction (TR3) where possible.

The following sections list information regarding the how DAKOTACARE will use specific control segments and how DAKOTACARE expects Trading Partners use the specified segments and the elements therein.

ISA-IEA

ISA05 and **ISA06** – During the testing phase, the Trading Partner is expected to communicate to DAKOTACARE the values that it will submit in the ISA05 and ISA06 segments. DAKOTACARE will agree to those values and expects that the values will be those used in the production environment. If the Trading Partner needs to changes those values, DAKOTACARE should be notified, testing done, and the change accepted by DAKOTACARE before the new ISA05 and ISA06 values are submitted.

The table below describes DAKOTACARE's expectations and use certain elements within the interchange control segments.

X12 Element	X12 Element Name		Notes
ISA01	Authorization Information Qualifier	00	Do not provide authorization information.
ISA03	Authorization Information Qualifier	00	Do not provide authorization information.
ISA05	Interchange ID Qualifier	20,30,ZZ	Any qualifier is accepted but it must be the qualifier agreed to by DAKOTACARE.
ISA06	Interchange Sender ID	N/A	Submitter's ID agreed to by DAKOTACARE with padded trailing spaces to satisfy length requirements.
ISA07	Interchange ID Qualifier	ZZ	
ISA08 Interchange		N/A	Must be "DAKOTACARE" with padded

	Receiver ID		trailing spaces to satisfy length requirements.
ISA14	Acknowledgment Requested	0,1	DAKOTACARE will not return a TA1 acknowledgement even if requested.

GS-GE

The table below describes DAKOTACARE's expectations and use certain elements within the functional group control segments.

X12 Element	X12 Element Name	Notes	
GS02	Application Sender's Code	Submitter's ID agreed to by DAKOTACARE.	
GS03	Application Receiver's Code	Must be "DAKOTACARE".	

ST-SE

DAKOTACARE does not customize or expect any custom use of the Transaction Set Header or the Transaction Set Trailer.

7 PAYER SPECIFIC BUSINESS RULES AND LIMITATIONS

GENERAL INFORMATION

- DAKOTACARE's Claim Status System only supports Real-Time mode with one request per transaction.
- Trading Partners are required to use agreed-upon Submitter ID in the ISA and GS segments.
- Changes to the Submitter ID require agreement from DAKOTACARE, after additional testing is performed, prior to production use.
- Trading Partners are required to use agreed-upon 276 Request Delimiters.
- Changes to the 276 Request Delimiters used require agreement from DAKOTACARE, after additional testing is performed, prior to production use.
- Given that DAKOTACARE assigns a unique member ID to each member, Trading Partners should submit the member in the Subscriber (2000D) Loop if the member ID is known.

8 ACKNOWLEDGEMENTS AND/OR REPORTS

DAKOTACARE's Claim Status system will respond once to each request with either a 276 or a 999. In some error conditions, a custom error may be returned via a SOAP message or a HTTP MIME Multipart message.

277 HEALTH CARE CLAIM STATUS RESPONSE

DAKOTACARE's Claim Status system will respond to a compliant 276 request with a 277 response. The system will respond with the appropriate STC Status Information segment when the request cannot be processed due to issues with the information submitted within the request.

Repeated 2200B Loop STC segment responses with a STC01 - 1 (Health Care Claim Status Category Code) value of E1 (Response not possible – System Status) may indicate an ongoing issue within DAKOTACARE's Claim Status system and Trading Partners are encouraged to contact the DAKOTACARE IT Department's EDI Specialists at edi@dakotacare.com. DAKOTACARE requests that the Trading Partner follow the procedures described in the ReTransmission Procedure section.

999 ACKNOWLEDGEMENT

When DAKOTACARE's Claim Status system encounters syntactic errors within a 276 request, a 999 Acknowledgement will be returned.

9 TRADING PARTNER AGREEMENTS

DAKOTACARE requires that a Trading Partner Agreement is in place before testing begins. Please contact the DAKOTACARE EDI Specialists at edi@dakotacare.com to request a Trading Partner Agreement.

10TRANSACTION SPECIFIC INFORMATION

The following table provides notes regarding DAKOTACARE's processing of specific data elements:

Page #	Loop ID	Reference	Name	Codes	Length	Notes/Comments
56	2100D	NM1	Subscriber Name			Only one per request.
57	2100D	NM109	Subscriber Identifier			DAKOTACARE uses unique member id numbers so only the subscriber loop is used.

APPENDICES

IMPLEMENTATION CHECKLIST

- Contact DAKOTACARE to complete a Trading Partner Agreement.
- Obtain authentication credentials and service URLs from DAKOTACARE.
- Complete testing with DAKOTACARE and be approved for production use.

OBTAINING PUBLIC KEY CERTIFICATES

Root certificate and intermediate certificate authority public key certificates can be obtained by completing the following instructions using Internet Explorer:

- 1. Enter https://connect.dakotacare.com/ into the browser's location bar and press Enter. The DAKOTACARE EDI Connect web page will be displayed in the browser.
- 2. Click the lock icon to the right of the location bar and click "View Certificates" at the bottom of the pop-up window.
- 3. Click the Certification Path tab.
- 4. Click on the desired certificate and click the "View Certificate" button.
- 5. Click the Details tab.
- 6. Click the "Copy to File..." button to start the Certificate Export Wizard.
- 7. Click the "Next" button.
- 8. Choose the format specific to your environment and click the "Next" button.
- 9. Choose a location and file name for the certificate.
- 10. Import the certificate into the location required by your client application.
- 11. Depending on your environment, you may need to export the entire certificate trust chain from the web site, and then import the entire trust chain into your client application.